



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/575,030	12/19/2006	Younes Jalali	103.0009US/PCT	5940

35204 7590 04/22/2011
SCHLUMBERGER RESERVOIR COMPLETIONS
14910 AIRLINE ROAD
Bldg. 14
ROSHARON, TX 77583

EXAMINER

JACOB, MARY C

ART UNIT	PAPER NUMBER
----------	--------------

2123

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

04/22/2011

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

VSOLIS2@SLB.COM

ABrown15@rosharon.oilfield.slb.com

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10575030	12/19/2006	JALALI ET AL.	103.0009US/PCT

SCHLUMBERGER RESERVOIR COMPLETIONS
14910 AIRLINE ROAD
Bldg. 14
ROSHARON, TX 77583

EXAMINER

MARY C. JACOB

ART UNIT	PAPER
----------	-------

2123	20110419
------	----------

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The IDS filed 7/16/10 is improper because the IDS was filed after the mailing of the Final Office Action and the fee set forth in 1.17(p) has not been submitted. Therefore, the IDS has not officially been considered. The Examiner, however, has reviewed the IDS reference and the positions set forth in the Final Office Action and Examiner's Answer have not changed.

/Mary C Jacob/
Primary Examiner, Art Unit 2123